## IN THE SPECIFICATION

Please replace Table 1, on pages 28-31, with the following Table 1:

Salt effect		Solubility
Content	pН	c (mg/ml) uv
10 mM <del>NaPO4</del> <u>Na<sub>3</sub>PO</u> <sub>4</sub> ,	7	0.21
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	7	0.72
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	7	0.85
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 0.5M NaCl	7	6.71
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 1M NaCl	7	8.24
pH effect		
Content	pН	c (mg/ml) uv
20 mM NaOAc, 150 mM NaCl	3	10.27
20 mM NaOAc, 150 mM NaCl	3.5	10.25
20 mM NaOAc, 150 mM NaCl	4	7.54
20 mM NaOAc, 150 mM NaCl	4.5	1.75
20 mM NaOAc, 150 mM NaCl	5	1.15
20 mM NaOAc, 150 mM NaCl	5.5	0.85
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	5.5	0.89
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	6	0.78
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	6.5	0.79
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	7	0.95
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	7.5	0.82
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	8	0.86
20 mM NaCitrate, 150 mM NaCl	4	2.17
20 mM NaCitrate, 150 mM NaCl	4.5	1.19
20 mM NaCitrate, 150 mM NaCl	5	1.1
20 mM NaCitrate, 150 mM NaCl	5.5	1.84
20 mM NaCitrate, 150 mM NaCl	6	2.09
20 mM NaCitrate, 150 mM NaCl	6.5	2.12
20 mM NaCitrate, 150 mM NaCl	7	1.92
20 mM Glycine, 150 mM NaCl	9	0.32
20 mM Glycine, 150 mM NaCl	10	0.9
20 mM Glycine, 150 mM NaCl	11	13.94
20 mM L-Glutamate, 150 mM NaCl	4	9.07
20 mM L-Glutamate, 150 mM NaCl	5	1.21

20 mM Syspingto 150 mM N. Cl	<del>                                     </del>	0.60
20 mM Succinate, 150 mM NaCl	4	8.62
20 mM Succinate, 150 mM NaCl	5	1.21
20 mM Succinate, 150 mM NaCl	6	1.07
C'A. A.	_	
Citrate		
Content	pН	c (mg/ml) uv
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 20 mM NaCitrate	7	1.16
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 50 mM NaCitrate	7	5.81
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM NaCitrate	7	12.7
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 200 mM NaCitrate	7	15.9
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 300 mM NaCitrate	7	8.36
Ma2+ Ca2+ and nalumbarahata		
Mg2+, Ca2+ and polyphosphate  Content		0 ( / 1)
	pΗ	C (mg/ml) uv
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl, 1 mM MgCl2	7 -	0.66
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl, 10 mM MgCl2	7	1.02
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl, 0.1 mM C	7	0.67
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> ,150 mM NaCl, 1 mM CaCl2	7	0.71
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl, 10 mM	7	3.64
triphosphate		
10 M N-DO4 N- DO 50/ DEG 400		0.05
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 5% PEG-400	7	0.07
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 10 mM EDTA	7	0.36
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM Na <sub>2</sub> SO4	7	5.08
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM L-aspartic acid	7	0.4
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM Succinic acid	7	2.33
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM Tartaric acid	7	2.56
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM Maleic aci	7	0.11
20 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM Malic acid	7	1.87
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM L-glutamic acid	7	0
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 150 mM NaCl	7	0.25
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 100 mM isocitrate	7	10.83
NaOAc, NaPO4 Na <sub>3</sub> PO <sub>4</sub> and NaCl	<u> </u>	
Content	nU	C (ma/m1)
10 mM NaOAc, 150 mM NaCl	pH 4.5	C (mg/ml) uv 1.76
10 mM NaOAc	4.5	4.89
10 mM NaOAc		
10 mM NaOAc	5.5	4.95
10 mM NaOAc	6.5	5.1
		5.87
10 mM NaPO4 Na PO	4.5	0.14
10 mM NaPO4 Na PO	4.5	4.97
10 mM NaPO4 Na PO	5.5	0.79
10 mM <del>NaPO4</del> <u>Na<sub>3</sub>PO</u> <sub>4</sub>	6.5	0.091

10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub>	7	0.94
	<del>'</del>	0.51
50 mM NaOAc	5	5.24
5 mM NaOAc	5.5	4.59
10 mM NaOAc	5.5	5.05
20 mM NaOAc	5.5	5.04
50 mM NaOAc	5.5	5.71
100 mM NaOAc	5.5	1.4
200 mM NaOAc	5.5	1.32
5 mM NaOAc, 5 mM NaCl	5.5	4.85
5 mM NaOAc. 10 mM NaCl	5.5	5.04
5 mM NaOAc, 50 mM NaCl	5.5	0.56
5 mM NaOAc, 100 mM NaCl	5.5	0.43
5 mM NaOAc, 200 mM NaCl	5.5	0.8
5 mM NaOAc	4.5	7.27
10 mM NaOAc	4.5	6.5
20 mM NaOAc	4.5	8.32
50 mM NaOAc	4.5	9.17
5 mM NaOAc	5.5	8.98
10 mM NaOAc	5.5	8.08
20 mM NaOAc	5.5	8.99
50 mM NaOAc	5.5	2.92
5 mM NaOAc, 150 mM NaCl	4.5	2.6
10 mM NaOAc, 150 mM NaCl	4.5	2.59
20 mM NaOAc, 150 mM NaCl	4.5	2.55
50 mM NaOAc, 150 mM NaCl	4.5	2.1
5 mM NaOAc, 150 mM NaCl	5.5	0.65
10 mM NaOAc, 150 mM NaCl	5.5	0.69
20 mM NaOAc, 150 mM NaCl	5.5	0.74
50 mM NaOAc, 150 mM NaCl	5.5	0.91
Hydrophobic chain length		
Content	pН	C (mg/ml) uv
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 50 mM Formic acid	7	0.12
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 50 mM Acetic acid	7	0.16
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 50 mM Propanoic acid	7	0.16
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 50 mM Butanoic acid	7	0.13
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 50 mM Pentanoic acid	7	0.14
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 50 mM Hexanoic acid	7	0.11
Others		
Content	pН	C (mg/ml) uv
20 mM NaOAc, 3% Mannitol, 2% Sucrose, 5% PEG-400	4	19.9

20 mM Na Citrate, 3% Mannitol, 2% Sucrose, 5% PEG-400	6.5	0.72
20 mM Na Citrate, 150 mM NaCl, 5% PEG.400	6.5	2.18
20 mM NaOAc, 150 mM NaCl, 5% PEG-400	4	19.8
20 mM Na Citrate, 130 mM NaCl, 1% Glycine, 0.25%	6.5	1.48
Tween 80 TWEEN®-80 (polyoxyethylenesorbitan,		
monooleate), 5% PEG-400		
20 mM Na Citrate, 130 mM NaCl, 1% Glycine, 0.25%	6.5	1.32
Tween-80 TWEEN®-80 (polyoxyethylenesorbitan,		
monooleate)		,
		Solubility
Content	pН	C (mg/ml) uv
5 mM NaAcetate	5.5	8.9
5 mM NaAcetate, 8% Sucrose	5.5	11
5 mM NaAcetate, 0.01% Polysorbate-80	5.5	7
5 mM NaAcetate, 8% Sucrose, 0.01% Polysorbate-80	5.5	12
10 mM NaAcetate	5.5	7.6
10 mM NaAcetate, 8% Sucrose	5.5	10
10 mM NaAcetate, 8% Sucrose, 0.01% Polysorbate-80	5.5	12.1
5 mM NaAcetate, 5% Sorbitol	5.5	7.8
5 mM NaAcetate, 4.5% Mannitol	5.5	9.2
5 mM Histidine	6	5.5
5 mM Histidine	6.5	1
5 mM NaCitrate	5.5	0.1
5 mM NaCitrate	6	0.1
5 mM NaCitrate	6.5	0.1
5 mM NaSuccinate	5.5	0.6
5 mM NaSuccinate	6	0.3
5 mM NaSuccinate	6.5	0.2
10 mM Imidazole	6.5	2.5, 10.8
10 mM Imidazole	7	0.8
10 mM Imidazole, 8% Sucrose	6.5	12.2
5 mM NaAcetate	6	8.2
10 mM Imidazole, 5 mM NaAcetate	6.5	12.8
10 mM NaCitrate	6	0.2
100 mM NaCitrate	6	8.1
100 mM NaCitrate	7	9.3
10 mM Naphosphate, 260 mM Na <sub>2</sub> SO4	6	9.1
10 mM NaPhosphate, 100 mM NaCitrate	8	8.8
10 mM NaCitrate, 1% L-glutamic acid	6	4.6
10 mM NaCitrate, 2% L-lysine	6	1.1
10 mM NaCitrate, 0.5% L-aspartic acid	6	0.4
10 mM NaCitrate, 0.1% Phosphate glass	7	5.9
10 mM Tris, 100 mM NaCitrate	8	8.5
10 mM NaCitrate, 1M Glycine	6	0.3
10 mM NaCitrate, 300 mM Glycine	6	0.3
John Jane		

10 mM NaCitrate, 280 mM Glycerol	6	0.3
10 mM NaCitrate, 0.5M (NH4)2SO4	6	8.3
10 mM NaCitrate, 120 mM (NH4)2SO4	6	8.8
10 mM NaCitrate, 260 mM Na2SO4	6	9.4
10 mM NaPO4 Na <sub>3</sub> PO <sub>4</sub> , 0.1 % Phosphate glass	7	15.8
10 mM NaCitrate, 0.1% SDS	6	11.2
10 mM NaCitrate, 0.02% SDS	6	7.8
10 mM NaAcetate, 8% PEG-400	5.5	13.7
10 mM NaAcetate, 150 mM NaCl, 8% PEG-400	5.5	0.6
10 mM NaAcetate, 8% PEG-400	6	16.2
10 mM NaCitrate, 8% PEG-400	6	0.2

Please replace the first paragraph on page 33, at lines 1-6, with the following paragraph:

Figure 13 shows two non-reducing SDS gels for TFPI formulation samples in 10 mM NaPO<sub>4</sub> Na<sub>3</sub>PO<sub>4</sub>, 150 mM NaCl, and 0.005% polysorbate-80 at pH 4 to pH 9 stored at 40°C for 0 days (lower) and 20 days (upper). No loss on TFPI is seen at 0 days. However, at 20 days cleavage fragments of TFPI may be seen at the lower pH range (*i.e.* pH 4 and pH 5). Without being bound to a particular theory, it is believed that these fragments may result from an acid catalyzed reaction.